

令和6年度補正 補助対象充電設備型式一覧表

2025.9.29

【補助金交付上限額(千円)】:型式における補助率毎での補助金交付上限額を示す。
各機器の仕様等の記載内容等については、各メーカーへ確認のこと。

急速充電設備 補助率 90kW以上:10/10、50kW以上:1/2、10kW以上:1/2

メーカー名	区分		型式	出力(kW)	補助金交付上限額(千円)
	種別				
ABB	150kW以上		Terra 184 JJ	180	5,000
			Terra 184 JJ-X	180	5,000
	90kW以上150kW未満		Terra 124 JJ	120	5,000
			Terra 184 JJ-S	112.5	5,000
			Terra 124 CJ	100	4,000
			Terra 184 CJ	100	4,000
			Terra 94 CJ	90	4,000
			Terra 94 J	90	4,000
CHAEVI	150kW以上		DCV-3FJ180P-I	180	5,000
	90kW以上150kW未満		DCV-3FJ120P-I	120	5,000
			DCV-3FJ120P-I2	120	5,000
	50kW以上90kW未満		CV-3FC50P-U	50	2,000
eTreego Japan	90kW以上150kW未満		L3-S120PC2M	120	4,950
			L3-S120PC2M-1T	120	3,950
EV モーターズ・ジャパン	90kW以上150kW未満		EVM750V-160KW-B	160	4,900
			ENC-DCL120B-J	120	4,950
			ENC-DCL120A-J	120	3,950
			ENC-DCL100B-J	100	4,950
			ENC-DCL100A-J	100	3,950
			ENC-DCL080B-J	80	2,150
	50kW以上90kW未満		EVM750V-080KW-B	80	2,150
			ENC-DCL080A-J	80	1,975
			EVM750V-080KW-A	80	1,950
			ENC-DCL060B-J	60	2,100
			ENC-DCL060A-J	60	1,950
	10kW以上50kW未満		ENC-DCL040B-J	40	575
			ENC-DCL040A-J	40	575
			EVM750V-040KW-A	40	550
fantasista	150kW以上		F3JAP180-JJ	180	5,000
	90kW以上150kW未満		F3JAP120-JJ	120	5,000
JFEテクノス	90kW以上150kW未満		SuperRAPIDAS-SR-AE	100	6,000
			SuperRAPIDAS-SR-AE-DC	100	6,000
			SuperRAPIDAS-SR-AGP-DC	100	6,000
			SuperRAPIDAS-SR-AP-DC	100	6,000
	50kW以上90kW未満		RAPIDAS-EX55-AE	55	2,000
			RAPIDAS-EX55-AGP-DC	55	2,000
			RAPIDAS-EX55-AP-DC	55	2,000
			RAPIDAS-EX50	50	1,950
			RAPIDAS-EX50-AGP	50	1,975
			RAPIDAS-EX50-AP	50	1,975
			RAPIDAS-X-AGP-DC	50	2,250
			RAPIDAS-X2-AE-DC	50	2,250
			RAPIDAS-X2-AGP-DC	50	2,250
			RAPIDAS-X2-AP-DC	50	2,250
ULTRA EV CHARGER	150kW以上		ULTRA180U2	180	5,000
	90kW以上150kW未満		ULTRA120U2	120	5,000
		ULTRA90U1	90	4,000	
Zerova	150kW以上		DSYJ182K0EXXXX	180	4,000
			DSYJ182K0KXXXX	180	5,000
			DSYJ182K0UXXXX	180	4,000
			SSYJ182K0EXXXX	180	4,000
			SSYJ182K0KXXXX	180	5,000
			SSYJ182K0UXXXX	180	4,000
			X _s SYX _s 182X _s 0WX _s X _s X _s X _s	180	5,000
			X _s SYX _s 182X _s 08X _s X _s X _s X _s	150	4,000
			X _s SYX _s 182X _s 09X _s X _s X _s X _s	150	4,000
			X _s SYX _s 182X _s 0UX _s X _s X _s X _s	150	4,000
			X _s SYX _s 182X _s 0EX _s X _s X _s X _s	150	4,000
			X _s SYX _s 152W00X _s X _s X _s X _s	150	4,000
			X _s SYX _s 15200WX _s X _s X _s X _s	150	4,000
		90kW以上150kW未満		X _s SYX _s 122X _s 0SXXXX	120
			X _s SYX _s 122X _s 09XXXX	90	4,000
			X _s SYX _s 122X _s 0UXXXX	90	4,000
			X _s SYX _s 122X _s 0EXXXXX	90	4,000
			X _s SYX _s 901X _s 0SXXXX	90	5,000
			X _s SYX _s 901X _s 09XXXX	90	4,000
			X _s SYX _s 901X _s 0UXXXX	90	4,000
			X _s SYX _s 901X _s 0EXXXXX	90	4,000
	50kW以上90kW未満		DNDJ501J00XXXX	50	2,000
			SNDJ501J00XXXX	50	2,000
		X _s NFX _s 501J00X _s X _s X _s X _s	50	2,250	

令和6年度補正 補助対象充電設備型式一覧表

2025.9.29

【補助金交付上限額(千円)】:型式における補助率毎での補助金交付上限額を示す。
各機器の仕様等の記載内容等については、各メーカーへ確認のこと。

急速充電設備 補助率 90kW以上:10/10、50kW以上:1/2、10kW以上:1/2

Zerova	50kW以上90kW未満	XiNFXs50100JXsXsXsXs	50	2,250
		XiNFXs501X.09XsXsXsXs	50	2,250
		XiNFXs501X.0EXsXsXsXs	50	2,250
	50kW以上90kW未満	XiNFXs501X.0JXsXsXsXs	50	2,650
		XiNFXs501X.0UXsXsXsXs	50	2,250
アサヒ衛陶	90kW以上150kW未満	XiSDXs501X.0XsXsXsXs	50	2,000
		A-QUICK180CH/NACS	180	4,000
キューベン	150kW以上	AQUICK-QC180R-S	180	4,000
		QC180	180	4,950
	90kW以上150kW未満	QC180F	180	8,300
		QC120	120	4,950
		QC120F	120	4,950
		QC120H	120	4,950
		QC120MD	120	4,500
	50kW以上90kW未満	QC90	90	3,950
		QC50LD	50	1,900
		QC50LS	50	1,750
		QC50MD	50	2,000
		QC50MS	50	1,900
	10kW以上50kW未満	QC30LD	30	575
		QC30LS	30	575
	ジゴワッツ	90kW以上150kW未満	DC120K	120
50kW以上90kW未満		DC050K	50	1,750
スターチャージ	150kW以上	DC1800J1042	180	5,000
		DC1500J1042	150	5,000
	90kW以上150kW未満	DC1200J1042	120	5,000
		DC1200J104202	120	5,000
		DC1200J1238082	120	5,000
		DC0900J1042	90	5,000
		DC0900J104202	90	5,000
		DC0900J1238082	90	5,000
		DC0900J1238452	90	4,000
		DC0900J1238462	90	4,000
	50kW以上90kW未満	DC0500J104202	50	2,700
		DC0500J1170052	50	2,500
		DC0500J1170062	50	2,000
		DC0500J1170072	50	2,000
		DC0500J1238052	50	2,500
		DC0500J1238062	50	2,000
	10kW以上50kW未満	DC0500J1238072	50	2,000
		DC0300J1061	30	600
ダイヘン	150kW以上	DQC180	180	4,950
		DQC180F	180	8,300
	90kW以上150kW未満	DQC120	120	4,950
		DQC120F	120	4,950
		DQC120H	120	4,950
		DQC120MD	120	4,500
		DQC090	90	3,950
	50kW以上90kW未満	DQC050ES	50	1,975
		DQC050LD	50	1,975
		DQC050LS	50	1,750
		DQC050MD	50	2,000
		DQC050MS	50	1,900
	10kW以上50kW未満	DQC030LD	30	575
		DQC030LS	30	575
	デルタ電子	90kW以上150kW未満	EVHX104XXCBXX	100
50kW以上90kW未満		EVHX503XADAXX	50	1,600
10kW以上50kW未満		EVHX503XCDAXX	50	1,600
デンゲン	10kW以上50kW未満	EVDJ25JEXX	25	575
	10kW以上50kW未満	DEV-10KW	10	550
テンフィールドファクトリー	90kW以上150kW未満	FLASH240CH/NACS-LC	180	4,000
		FLASH180CH/NACS	180	4,000
		FLASH-QC180R-S	180	4,000
ニチコン	150kW以上	NQM-UCB04P	400	9,950
		NQM-UCY04E	200	14,950
		NQM-UCY04P	200	14,950
	90kW以上150kW未満	NQD-UCX04P	100	5,000
		NQD-UCX04P-H	100	5,000
		NQR-UC904P-C660	90	4,950
		NQR-UC904P-C651	90	4,950
		NQR-UC904P-C642	90	4,950
		NQR-UC904P-C633	90	4,950
		NQR-UC904P-C624	90	4,950
		NQR-UC904P-C615	90	4,950

令和6年度補正 補助対象充電設備型式一覧表

2025.9.29

【補助金交付上限額(千円)】:型式における補助率毎での補助金交付上限額を示す。
各機器の仕様等の記載内容等については、各メーカーへ確認のこと。

急速充電設備 補助率 90kW以上:10/10、50kW以上:1/2、10kW以上:1/2

ニチコン	90kW以上150kW未満	NQR-UC904P-C606	90	4,950
		NQR-UC904P-C550	90	4,950
		NQR-UC904P-C541	90	4,950
		NQR-UC904P-C532	90	4,950
		NQR-UC904P-C523	90	4,950
		NQR-UC904P-C514	90	4,950
		NQR-UC904P-C505	90	4,950
		NQR-UC904P-C440	90	4,950
		NQR-UC904P-C431	90	4,950
		NQR-UC904P-C422	90	4,950
		NQR-UC904P-C413	90	4,950
		NQR-UC904P-C404	90	4,950
		NQR-UC904P-C330	90	4,950
		NQR-UC904P-C321	90	4,950
		NQR-UC904P-C312	90	4,950
		NQR-UC904P-C303	90	4,950
		NQR-UC904P-C220	90	4,950
		NQR-UC904P-C211	90	4,950
		NQR-UC904P-C202	90	4,950
		NQR-UC904P-C110	90	3,950
		NQR-UC904P-C101	90	3,950
		NQR-UC904P-H660	90	4,950
		NQR-UC904P-H651	90	4,950
		NQR-UC904P-H642	90	4,950
		NQR-UC904P-H633	90	4,950
		NQR-UC904P-H624	90	4,950
		NQR-UC904P-H615	90	4,950
		NQR-UC904P-H606	90	4,950
		NQR-UC904P-H550	90	4,950
		NQR-UC904P-H541	90	4,950
		NQR-UC904P-H532	90	4,950
		NQR-UC904P-H523	90	4,950
		NQR-UC904P-H514	90	4,950
		NQR-UC904P-H505	90	4,950
		NQR-UC904P-H440	90	4,950
		NQR-UC904P-H431	90	4,950
		NQR-UC904P-H422	90	4,950
		NQR-UC904P-H413	90	4,950
		NQR-UC904P-H404	90	4,950
		NQR-UC904P-H330	90	4,950
		NQR-UC904P-H321	90	4,950
		NQR-UC904P-H312	90	4,950
		NQR-UC904P-H303	90	4,950
		NQR-UC904P-H220	90	4,950
		NQR-UC904P-H211	90	4,950
		NQR-UC904P-H202	90	4,950
		NQR-UC904P-H110	90	3,950
	NQR-UC904P-H101	90	3,950	
	NQR-UC904P-C6W	90	4,950	
	NQR-UC904P-C5W	90	4,950	
	NQR-UC904P-C4W	90	4,950	
	NQR-UC904P-C3W	90	4,950	
	NQR-UC904P-C2W	90	4,950	
	NQR-UC904P-C1W	90	3,950	
	NQR-UC904P-H6W	90	4,950	
	NQR-UC904P-H5W	90	4,950	
	NQR-UC904P-H4W	90	4,950	
	NQR-UC904P-H3W	90	4,950	
	NQR-UC904P-H2W	90	4,950	
	NQR-UC904P-H1W	90	3,950	
	50kW以上90kW未満	NQC-TC5030	50	1,500
		NQC-TC5030-C	50	1,700
		NQC-TC503E	50	1,700
		NQC-TC503E-C	50	1,900
		NQC-TC503U	50	1,725
		NQC-TC503U-C	50	1,925
		NQC-TC504A	50	2,000
	NQC-TC504A-H	50	2,000	
	NQC-TC504C	50	2,000	

令和6年度補正 補助対象充電設備型式一覧表

2025.9.29

【補助金交付上限額(千円)】:型式における補助率毎での補助金交付上限額を示す。
各機器の仕様等の記載内容等については、各メーカーへ確認のこと。

急速充電設備 補助率 90kW以上:10/10、50kW以上:1/2、10kW以上:1/2

ニチコン	50kW以上90kW未満	NQC-TC504C-H	50	2,000	
		NQC-TC504P	50	1,900	
		NQC-TC504P-H	50	2,000	
	10kW以上50kW未満	NQC-TC3530	35	575	
		NQC-TC3530-C	35	575	
		NQC-TC353E	35	600	
		NQC-TC353E-C	35	600	
		NQC-TC353U	35	600	
		NQC-TC353U-C	35	600	
		NQC-SC2530	25	575	
		NQC-SC2530-C	25	575	
		NQC-SC253E	25	600	
		NQC-SC253E-C	25	600	
		NQC-SC253U	25	600	
		NQC-SC253U-C	25	600	
		NQC-TC2530	25	575	
		NQC-TC2530-C	25	575	
		NQC-TC253E	25	600	
		NQC-TC253E-C	25	600	
NQC-TC253U	25	600			
NQC-TC253U-C	25	600			
日発販売	10kW以上50kW未満	EXP20K5-FSW-C5	20	550	
ハセテック	50kW以上90kW未満	SC05-3P3W	50	1,700	
		SC05-3P3W-A	50	1,975	
		SC05-3P3W-EN	50	1,900	
	10kW以上50kW未満	SC03-3P3W	30	550	
		SC03-3P3W-A	30	575	
パワーエックス	150kW以上	HC0358	240	6,000	
		HC0358-CP4	240	6,000	
		HC0179	150	5,000	
新電元工業	150kW以上	SDQC2F150UT4415-BM	150	4,000	
		SDQC2F150UT4415-BMSA	150	3,900	
		SDQC2F150XT4415-BM	150	4,000	
	90kW以上150kW未満	SDQC2F90ST4415	90	3,900	
		SDQC2F90ST4415-M	90	4,900	
		SDQC2F90UT4415	90	4,000	
		SDQC2F90UT4415-M	90	5,000	
		SDQC2F90XT4415	90	4,000	
		SDQC2F90XT4415-M	90	5,000	
		SDQC2F90XT4415-MBMH	90	5,000	
		SDQC2F90XT4415-MBMS	90	5,000	
	50kW以上90kW未満	SDQC2F60UT3210-M	60	2,450	
		SDQC2F60UT3210-MSA	60	2,450	
		SDQC2F50XT3200	50	1,800	
		SDQC2F50XT3200-0	50	1,850	
		SDQC2F50XT3200-SF	50	1,800	
		SDQC2F50XT3200-SF0	50	1,850	
		SDQC2F60UT3210-MLV	50	2,450	
		SDQC2F60UT3210-MLVSA	50	2,450	
東光高岳		150kW以上	HFR1-400B13	400	5,000
			HFR1-150B12-A8	150	4,000
	90kW以上150kW未満	HFR1-120B10-A1	120	5,000	
		HFR1-120B10-A7	120	5,000	
		HFR1-120B10-A8	120	5,000	
	50kW以上90kW未満	HFR1-50B9	50	1,650	
		HFR1-50B9-A1	50	1,950	
		HFR1-50B9-A2	50	1,950	
		HFR1-50B9-A7	50	1,950	
		HFR1-50B9-A8	50	2,000	
	10kW以上50kW未満	HFR1-30B9	30	575	
		HFR1-30B9-A1	30	600	
		HFR1-30B9-A2	30	600	
HFR1-30B9-A7		30	600		
HFR1-15B11		15	575		
日立製作所	50kW以上90kW未満	HI-QC001-CN42	60	2,475	
		HI-QC001-CN43	60	2,475	
		HI-QC001-CN44	60	2,475	
		HI-QC002-CN42	60	2,475	
		HI-QC002-CN43	60	2,475	
		HI-QC002-CN44	60	2,475	

令和6年度補正 補助対象充電設備型式一覧表

2025.9.29

【補助金交付上限額(千円)】:型式における補助率毎での補助金交付上限額を示す。
各機器の仕様等の記載内容等については、各メーカーへ確認のこと。

急速充電設備 補助率 90kW以上:10/10、50kW以上:1/2、10kW以上:1/2

日立製作所	50kW以上90kW未満	HI-QC011-CN42	60	2,475
		HI-QC011-CN43	60	2,475
		HI-QC011-CN44	60	2,475
		HI-QC012-CN42	60	2,475
		HI-QC012-CN43	60	2,475
		HI-QC012-CN44	60	2,475
		HI-QC601-CN42	60	2,500
		HI-QC601-CN43	60	2,500
		HI-QC601-CN44	60	2,500
		HI-QC602-CN42	60	2,500
		HI-QC602-CN43	60	2,500
		HI-QC602-CN44	60	2,500
		HI-QC611-CN42	60	2,500
		HI-QC611-CN43	60	2,500
		HI-QC611-CN44	60	2,500
		HI-QC612-CN42	60	2,500
		HI-QC612-CN43	60	2,500
		HI-QC612-CN44	60	2,500
		HI-QC001-CN41	50	1,975
		HI-QC002-CN41	50	1,975
HI-QC011-CN41	50	1,975		
HI-QC012-CN41	50	1,975		
HI-QC601-CN41	50	2,000		
HI-QC602-CN41	50	2,000		
HI-QC611-CN41	50	2,000		
HI-QC612-CN41	50	2,000		
日立製作所	10kW以上50kW未満	HI-QC001-CN31	43	575
		HI-QC001-CN32	43	575
		HI-QC001-CN33	45	575
		HI-QC002-CN31	43	575
		HI-QC002-CN32	43	575
		HI-QC002-CN33	45	575
		HI-QC011-CN31	43	575
		HI-QC011-CN32	43	575
		HI-QC011-CN33	45	575
		HI-QC012-CN31	43	575
		HI-QC012-CN32	43	575
		HI-QC012-CN33	45	575
		HI-QC601-CN31	43	600
		HI-QC601-CN32	43	600
		HI-QC601-CN33	45	600
		HI-QC602-CN31	43	600
		HI-QC602-CN32	43	600
		HI-QC602-CN33	45	600
		HI-QC611-CN31	43	600
		HI-QC611-CN32	43	600
		HI-QC611-CN33	45	600
		HI-QC612-CN31	43	600
		HI-QC612-CN32	43	600
		HI-QC612-CN33	45	600
		HIQC-JP45	45	575
		HIQC-JP45-A06	45	600
		HIQC-JP45-B00	45	575
		HIQC-JP45-B06	45	600
		HIQC-JP45-C00	45	575
		HIQC-JP45-C06	45	600
		HIQC-JP45-D00	45	575
		HIQC-JP45-D06	45	600
HIQC-JP30	30	575		
HIQC-JP30-A06	30	600		
HIQC-JP30-B00	30	575		
HIQC-JP30-B06	30	600		
HIQC-JP30-C00	30	575		
HIQC-JP30-C06	30	600		
HIQC-JP30-D00	30	575		
HIQC-JP30-D06	30	600		
エンザミンパワー	90kW以上150kW未満	EK100-1	100	4,000
北海道電気相互	10kW以上50kW未満	WBG3 24KW 3P	24	575
充活	150kW以上	KDNT/D-180KW-AH2	180	5,000
	90kW以上150kW未満	KDNT/D-120KW-AH2	120	5,000
	50kW以上90kW未満	KDNT/D-100KW-AH2	100	5,000
	10kW以上50kW未満	KDNT/D-60KW-AH2	60	1,500
和光電研	90kW以上150kW未満	331200	90	4,000
ブラゴ	50kW以上90kW未満	SDQC-50-P-1	50	1,800

令和6年度補正 補助対象充電設備型式一覧表

2025.9.29

【補助金交付上限額(千円)】:型式における補助率毎での補助金交付上限額を示す。
各機器の仕様等の記載内容等については、各メーカーへ確認のこと。

急速充電設備 補助率 90kW以上:10/10、50kW以上:1/2、10kW以上:1/2

日立 インダストリアルプロダクツ	150kW以上	HVERTER-EV500i-A20	500	4,900
		HVERTER-EV500i-A18-B1	500	4,900
		HVERTER-EV500i-A16-B2	500	4,900
		HVERTER-EV500i-A14-B3	500	4,900
		HVERTER-EV500i-A12-B4	500	4,900
		HVERTER-EV500i-A10-B5	500	4,900
		HVERTER-EV500i-A8-B6	500	4,900
		HVERTER-EV500i-A6-B7	500	4,900
		HVERTER-EV500i-A4-B8	500	4,900
		HVERTER-EV500i-A2-B9	500	4,900
		HVERTER-EV500i-B10	500	4,900
		HVERTER-EV500i-A16-D1	490	4,900
		HVERTER-EV500i-A14-B1-D1	490	4,900
		HVERTER-EV500i-A12-B2-D1	490	4,900
		HVERTER-EV500i-A10-B3-D1	490	4,900
		HVERTER-EV500i-A8-B4-D1	490	4,900
		HVERTER-EV500i-A6-B5-D1	490	4,900
		HVERTER-EV500i-A4-B6-D1	490	4,900
		HVERTER-EV500i-A2-B7-D1	490	4,900
		HVERTER-EV500i-B8-D1	490	4,900
		HVERTER-EV500i-A12-D2	480	4,900
		HVERTER-EV500i-A10-B1-D2	480	4,900
		HVERTER-EV500i-A8-B2-D2	480	4,900
		HVERTER-EV500i-A6-B3-D2	480	4,900
		HVERTER-EV500i-A4-B4-D2	480	4,900
		HVERTER-EV500i-A2-B5-D2	480	4,900
		HVERTER-EV500i-B6-D2	480	4,900
		HVERTER-EV500i-A19	475	4,900
		HVERTER-EV500i-A17-B1	475	4,900
		HVERTER-EV500i-A15-B2	475	4,900
		HVERTER-EV500i-A13-B3	475	4,900
		HVERTER-EV500i-A11-B4	475	4,900
		HVERTER-EV500i-A9-B5	475	4,900
		HVERTER-EV500i-A7-B6	475	4,900
		HVERTER-EV500i-A5-B7	475	4,900
		HVERTER-EV500i-A3-B8	475	4,900
		HVERTER-EV500i-A1-B9	475	4,900
		HVERTER-EV500i-A8-D3	470	4,900
		HVERTER-EV500i-A6-B1-D3	470	4,900
		HVERTER-EV500i-A4-B2-D3	470	4,900
		HVERTER-EV500i-A2-B3-D3	470	4,900
		HVERTER-EV500i-B4-D3	470	4,900
		HVERTER-EV500i-A15-D1	465	4,900
		HVERTER-EV500i-A13-B1-D1	465	4,900
		HVERTER-EV500i-A11-B2-D1	465	4,900
		HVERTER-EV500i-A9-B3-D1	465	4,900
		HVERTER-EV500i-A7-B4-D1	465	4,900
		HVERTER-EV500i-A5-B5-D1	465	4,900
		HVERTER-EV500i-A3-B6-D1	465	4,900
		HVERTER-EV500i-A1-B7-D1	465	4,900
		HVERTER-EV500i-A4-D4	460	4,900
		HVERTER-EV500i-A2-B1-D4	460	4,900
		HVERTER-EV500i-B2-D4	460	4,900
		HVERTER-EV500i-A11-D2	455	4,900
		HVERTER-EV500i-A9-B1-D2	455	4,900
		HVERTER-EV500i-A7-B2-D2	455	4,900
		HVERTER-EV500i-A5-B3-D2	455	4,900
		HVERTER-EV500i-A3-B4-D2	455	4,900
		HVERTER-EV500i-A1-B5-D2	455	4,900
		HVERTER-EV500i-A18	450	4,900
HVERTER-EV500i-A16-B1	450	4,900		
HVERTER-EV500i-A14-B2	450	4,900		
HVERTER-EV500i-A12-B3	450	4,900		
HVERTER-EV500i-A10-B4	450	4,900		
HVERTER-EV500i-A8-B5	450	4,900		
HVERTER-EV500i-A6-B6	450	4,900		
HVERTER-EV500i-A4-B7	450	4,900		
HVERTER-EV500i-A2-B8	450	4,900		
HVERTER-EV500i-B9	450	4,900		
HVERTER-EV500i-D5	450	4,900		
HVERTER-EV500i-A7-D3	445	4,900		
HVERTER-EV500i-A5-B1-D3	445	4,900		

令和6年度補正 補助対象充電設備型式一覧表

2025.9.29

【補助金交付上限額(千円)】:型式における補助率毎での補助金交付上限額を示す。

各機器の仕様等の記載内容等については、各メーカーへ確認のこと。

急速充電設備

補助率 90kW以上:10/10、50kW以上:1/2、10kW以上:1/2

日立 インダストリアルプロダクツ	150kW以上	HVERTER-EV500i-A3-B2-D3	445	4,900
		HVERTER-EV500i-A1-B3-D3	445	4,900
		HVERTER-EV500i-A14-D1	440	4,900
		HVERTER-EV500i-A12-B1-D1	440	4,900
		HVERTER-EV500i-A10-B2-D1	440	4,900
		HVERTER-EV500i-A8-B3-D1	440	4,900
		HVERTER-EV500i-A6-B4-D1	440	4,900
		HVERTER-EV500i-A4-B5-D1	440	4,900
		HVERTER-EV500i-A2-B6-D1	440	4,900
		HVERTER-EV500i-B7-D1	440	4,900
		HVERTER-EV500i-A3-D4	435	4,900
		HVERTER-EV500i-A1-B1-D4	435	4,900
		HVERTER-EV500i-A10-D2	430	4,900
		HVERTER-EV500i-A8-B1-D2	430	4,900
		HVERTER-EV500i-A6-B2-D2	430	4,900
		HVERTER-EV500i-A4-B3-D2	430	4,900
		HVERTER-EV500i-A2-B4-D2	430	4,900
		HVERTER-EV500i-B5-D2	430	4,900
		HVERTER-EV500i-A17	425	4,900
		HVERTER-EV500i-A15-B1	425	4,900
		HVERTER-EV500i-A13-B2	425	4,900
		HVERTER-EV500i-A11-B3	425	4,900
		HVERTER-EV500i-A9-B4	425	4,900
		HVERTER-EV500i-A7-B5	425	4,900
		HVERTER-EV500i-A5-B6	425	4,900
		HVERTER-EV500i-A3-B7	425	4,900
		HVERTER-EV500i-A1-B8	425	4,900
		HVERTER-EV500i-A6-D3	420	4,900
		HVERTER-EV500i-A4-B1-D3	420	4,900
		HVERTER-EV500i-A2-B2-D3	420	4,900
		HVERTER-EV500i-B3-D3	420	4,900
		HVERTER-EV500i-A13-D1	415	4,900
		HVERTER-EV500i-A11-B1-D1	415	4,900
		HVERTER-EV500i-A9-B2-D1	415	4,900
		HVERTER-EV500i-A7-B3-D1	415	4,900
		HVERTER-EV500i-A5-B4-D1	415	4,900
		HVERTER-EV500i-A3-B5-D1	415	4,900
		HVERTER-EV500i-A1-B6-D1	415	4,900
		HVERTER-EV500i-A2-D4	410	4,900
		HVERTER-EV500i-B1-D4	410	4,900
		HVERTER-EV500i-A9-D2	405	4,900
		HVERTER-EV500i-A7-B1-D2	405	4,900
		HVERTER-EV500i-A5-B2-D2	405	4,900
		HVERTER-EV500i-A3-B3-D2	405	4,900
		HVERTER-EV500i-A1-B4-D2	405	4,900
		HVERTER-EV500i-A16	400	4,900
		HVERTER-EV500i-A14-B1	400	4,900
		HVERTER-EV500i-A12-B2	400	4,900
		HVERTER-EV500i-A10-B3	400	4,900
		HVERTER-EV500i-A8-B4	400	4,900
HVERTER-EV500i-A6-B5	400	4,900		
HVERTER-EV500i-A4-B6	400	4,900		
HVERTER-EV500i-A2-B7	400	4,900		
HVERTER-EV500i-B8	400	4,900		
HVERTER-EV500i-A5-D3	395	4,900		
HVERTER-EV500i-A3-B1-D3	395	4,900		
HVERTER-EV500i-A1-B2-D3	395	4,900		
HVERTER-EV500i-A12-D1	390	4,900		
HVERTER-EV500i-A10-B1-D1	390	4,900		
HVERTER-EV500i-A8-B2-D1	390	4,900		
HVERTER-EV500i-A6-B3-D1	390	4,900		
HVERTER-EV500i-A4-B4-D1	390	4,900		
HVERTER-EV500i-A2-B5-D1	390	4,900		
HVERTER-EV500i-B6-D1	390	4,900		
HVERTER-EV500i-A1-D4	385	4,900		
HVERTER-EV500i-A8-D2	380	4,900		
HVERTER-EV500i-A6-B1-D2	380	4,900		
HVERTER-EV500i-A4-B2-D2	380	4,900		
HVERTER-EV500i-A2-B3-D2	380	4,900		
HVERTER-EV500i-B4-D2	380	4,900		
HVERTER-EV500i-A15	375	4,900		
HVERTER-EV500i-A13-B1	375	4,900		
HVERTER-EV500i-A11-B2	375	4,900		
HVERTER-EV500i-A9-B3	375	4,900		

令和6年度補正 補助対象充電設備型式一覧表

2025.9.29

【補助金交付上限額(千円)】:型式における補助率毎での補助金交付上限額を示す。

各機器の仕様等の記載内容等については、各メーカーへ確認のこと。

急速充電設備

補助率 90kW以上:10/10、50kW以上:1/2、10kW以上:1/2

日立 インダストリアルプロダクツ	150kW以上	HVERTER-EV500i-A7-B4	375	4,900
		HVERTER-EV500i-A5-B5	375	4,900
		HVERTER-EV500i-A3-B6	375	4,900
		HVERTER-EV500i-A1-B7	375	4,900
		HVERTER-EV500i-A4-D3	370	4,900
		HVERTER-EV500i-A2-B1-D3	370	4,900
		HVERTER-EV500i-B2-D3	370	4,900
		HVERTER-EV500i-A11-D1	365	4,900
		HVERTER-EV500i-A9-B1-D1	365	4,900
		HVERTER-EV500i-A7-B2-D1	365	4,900
		HVERTER-EV500i-A5-B3-D1	365	4,900
		HVERTER-EV500i-A3-B4-D1	365	4,900
		HVERTER-EV500i-A1-B5-D1	365	4,900
		HVERTER-EV500i-D4	360	4,900
		HVERTER-EV500i-A7-D2	355	4,900
		HVERTER-EV500i-A5-B1-D2	355	4,900
		HVERTER-EV500i-A3-B2-D2	355	4,900
		HVERTER-EV500i-A1-B3-D2	355	4,900
		HVERTER-EV500i-A14	350	4,900
		HVERTER-EV500i-A12-B1	350	4,900
		HVERTER-EV500i-A10-B2	350	4,900
		HVERTER-EV500i-A8-B3	350	4,900
		HVERTER-EV500i-A6-B4	350	4,900
		HVERTER-EV500i-A4-B5	350	4,900
		HVERTER-EV500i-A2-B6	350	4,900
		HVERTER-EV500i-B7	350	4,900
		HVERTER-EV500i-A3-D3	345	4,900
		HVERTER-EV500i-A1-B1-D3	345	4,900
		HVERTER-EV500i-A10-D1	340	4,900
		HVERTER-EV500i-A8-B1-D1	340	4,900
		HVERTER-EV500i-A6-B2-D1	340	4,900
		HVERTER-EV500i-A4-B3-D1	340	4,900
		HVERTER-EV500i-A2-B4-D1	340	4,900
		HVERTER-EV500i-B5-D1	340	4,900
		HVERTER-EV500i-A6-D2	330	4,900
		HVERTER-EV500i-A4-B1-D2	330	4,900
		HVERTER-EV500i-A2-B2-D2	330	4,900
		HVERTER-EV500i-B3-D2	330	4,900
		HVERTER-EV500i-A13	325	4,900
		HVERTER-EV500i-A11-B1	325	4,900
		HVERTER-EV500i-A9-B2	325	4,900
		HVERTER-EV500i-A7-B3	325	4,900
		HVERTER-EV500i-A5-B4	325	4,900
		HVERTER-EV500i-A3-B5	325	4,900
		HVERTER-EV500i-A1-B6	325	4,900
		HVERTER-EV500i-A2-D3	320	4,900
		HVERTER-EV500i-B1-D3	320	4,900
		HVERTER-EV500i-A9-D1	315	4,900
		HVERTER-EV500i-A7-B1-D1	315	4,900
		HVERTER-EV500i-A5-B2-D1	315	4,900
HVERTER-EV500i-A3-B3-D1	315	4,900		
HVERTER-EV500i-A1-B4-D1	315	4,900		
HVERTER-EV500i-A5-D2	305	4,900		
HVERTER-EV500i-A3-B1-D2	305	4,900		
HVERTER-EV500i-A1-B2-D2	305	4,900		
HVERTER-EV500i-A12	300	4,900		
HVERTER-EV500i-A10-B1	300	4,900		
HVERTER-EV500i-A8-B2	300	4,900		
HVERTER-EV500i-A6-B3	300	4,900		
HVERTER-EV500i-A4-B4	300	4,900		
HVERTER-EV500i-A2-B5	300	4,900		
HVERTER-EV500i-B6	300	4,900		
HVERTER-EV500i-A1-D3	295	4,900		
HVERTER-EV500i-A8-D1	290	4,900		
HVERTER-EV500i-A6-B1-D1	290	4,900		
HVERTER-EV500i-A4-B2-D1	290	4,900		
HVERTER-EV500i-A2-B3-D1	290	4,900		
HVERTER-EV500i-B4-D1	290	4,900		
HVERTER-EV500i-A4-D2	280	4,900		
HVERTER-EV500i-A2-B1-D2	280	4,900		
HVERTER-EV500i-B2-D2	280	4,900		
HVERTER-EV500i-A11	275	4,900		
HVERTER-EV500i-A9-B1	275	4,900		
HVERTER-EV500i-A7-B2	275	4,900		
HVERTER-EV500i-A5-B3	275	4,900		

令和6年度補正 補助対象充電設備型式一覧表

2025.9.29

【補助金交付上限額(千円)】:型式における補助率毎での補助金交付上限額を示す。
各機器の仕様等の記載内容等については、各メーカーへ確認のこと。

急速充電設備 補助率 90kW以上:10/10、50kW以上:1/2、10kW以上:1/2

日立 インダストリアルプロダクツ	150kW以上	HVERTER-EV500i-A3-B4	275	4,900
		HVERTER-EV500i-A1-B5	275	4,900
		HVERTER-EV500i-D3	270	4,900
		HVERTER-EV500i-A7-D1	265	4,900
		HVERTER-EV500i-A5-B1-D1	265	4,900
		HVERTER-EV500i-A3-B2-D1	265	4,900
		HVERTER-EV500i-A1-B3-D1	265	4,900
		HVERTER-EV500i-A3-D2	255	4,900
		HVERTER-EV500i-A1-B1-D2	255	4,900
		HVERTER-EV500i-A10	250	4,900
		HVERTER-EV500i-A8-B1	250	4,900
		HVERTER-EV500i-A6-B2	250	4,900
		HVERTER-EV500i-A4-B3	250	4,900
		HVERTER-EV500i-A2-B4	250	4,900
		HVERTER-EV500i-B5	250	4,900
		HVERTER-EV500i-A6-D1	240	4,900
		HVERTER-EV500i-A4-B1-D1	240	4,900
		HVERTER-EV500i-A2-B2-D1	240	4,900
		HVERTER-EV500i-B3-D1	240	4,900
		HVERTER-EV500i-A2-D2	230	4,900
		HVERTER-EV500i-B1-D2	230	4,900
		HVERTER-EV500i-A9	225	4,900
		HVERTER-EV500i-A7-B1	225	4,900
		HVERTER-EV500i-A5-B2	225	4,900
		HVERTER-EV500i-A3-B3	225	4,900
		HVERTER-EV500i-A1-B4	225	4,900
		HVERTER-EV500i-A5-D1	215	4,900
		HVERTER-EV500i-A3-B1-D1	215	4,900
		HVERTER-EV500i-A1-B2-D1	215	4,900
		HVERTER-EV500i-A1-D2	205	4,900
		HVERTER-EV500i-A8	200	4,900
		HVERTER-EV500i-A6-B1	200	4,900
		HVERTER-EV500i-A4-B2	200	4,900
		HVERTER-EV500i-A2-B3	200	4,900
		HVERTER-EV500i-B4	200	4,900
		HVERTER-EV500i-A4-D1	190	4,900
		HVERTER-EV500i-A2-B1-D1	190	4,900
		HVERTER-EV500i-B2-D1	190	4,900
		HVERTER-EV500i-D2	180	4,900
		HVERTER-EV500i-A7	175	4,900
		HVERTER-EV500i-A5-B1	175	4,900
		HVERTER-EV500i-A3-B2	175	4,900
		HVERTER-EV500i-A1-B3	175	4,900
		HVERTER-EV500i-A3-D1	165	4,900
		HVERTER-EV500i-A1-B1-D1	165	4,900
		HVERTER-EV500i-A6	150	4,900
		HVERTER-EV500i-A4-B1	150	4,900
		HVERTER-EV500i-A2-B2	150	4,900
		HVERTER-EV500i-B3	150	4,900
		HVERTER-EV500i-A2-D1	140	4,900
HVERTER-EV500i-B1-D1	140	4,900		
HVERTER-EV500i-A5	125	4,900		
HVERTER-EV500i-A3-B1	125	4,900		
HVERTER-EV500i-A1-B2	125	4,900		
HVERTER-EV500i-A1-D1	115	4,900		
HVERTER-EV500i-A4	100	4,900		
HVERTER-EV500i-A2-B1	100	4,900		
HVERTER-EV500i-B2	100	4,900		
HVERTER-EV500i-D1	90	3,900		
HVERTER-EV500i-A3	75	2,450		
HVERTER-EV500i-A1-B1	75	2,450		
HVERTER-EV500i-A2	50	2,450		
HVERTER-EV500i-B1	50	1,950		
HVERTER-EV500i-A1	25	550		
北九州住設	90kW以上150kW未満	JC-9922-120-CJP	120	5,000
		JC-9921-120-CJP	120	4,000
		JC-9952-120-CJP	120	4,000
		JC-99T2-120-CJP	120	4,000
	10kW以上50kW未満	JC-9A21-30-CJP	30	600
住友商事パワー&モビリティ	150kW以上	CG-009	150	4,950
		EVQ-A30	30	550
日東工業	10kW以上50kW未満	EVQ-D30	30	550
		HEVC-20K	20	600
ヘッドスプリング	10kW以上50kW未満	HEVC-20K	20	600